

Safety Data Sheet

MAGNAFLOC® 455 US

Revision date : 2011/06/21
Version: 1.1

Page: 1/7
(30493021/SDS_GEN_US/EN)

1. Product and Company Identification

Use: flocculation agent

Company
BASF CORPORATION
100 Campus Drive
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP

2. Hazards Identification

Emergency overview

CAUTION:

The product can cause skin and eye irritation.
May cause some irritation to the respiratory system if dust is inhaled.
Avoid the formation and deposition of dust.
Avoid sources of ignition.
Refer to MSDS Section 7 for Dust Explosion information.
Caution - Slippery when wet!
Combustible organic powder.
Avoid creating dusty conditions, dust build-up or formation of dust clouds.
Avoid all sources of ignition: heat, sparks, open flame.

State of matter: solid
Colour: off-white
Odour: odourless

Potential health effects

Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Chronic toxicity:

Carcinogenicity: None of the components in this product at concentrations greater than 0.1% are listed by IARC; NTP, OSHA or ACGIH as a carcinogen.

Reproductive toxicity: No data available concerning reproduction toxicity.

Teratogenicity: No data available concerning teratogenic effects.

Safety Data Sheet

MAGNAFLOC® 455 US

Revision date : 2011/06/21
Version: 1.1

Page: 2/7
(30493021/SDS_GEN_US/EN)

Genotoxicity: No data was available concerning mutagenic activity.

Signs and symptoms of overexposure:

No significant symptoms are expected due to the non-classification of the product.

Potential environmental effects

Aquatic toxicity:

Fish toxicity and aquatic toxicity are drastically reduced by rapid irreversible adsorption onto suspended and/or dissolved organic matter. Acute effects on aquatic organisms are due to the cationic charge of the polymer, which is quickly neutralised in natural water courses by irreversible adsorption onto particles, hydrolysis and dissolved organic carbon. The hydrolysis products are not acutely harmful to aquatic organisms.

3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
57-13-6	1.0 - 3.0 %	urea
124-04-9	3.0 - 5.0 %	adipic acid
Trade Secret	86.0 - 90.0 %	Acrylamide Copolymer

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Seek medical attention.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Immediate medical attention required.

Note to physician

Treatment:	Treat according to symptoms (decontamination, vital functions), no known specific antidote.
------------	---

5. Fire-Fighting Measures

Flash point: not applicable

Suitable extinguishing media:

dry powder, foam

Unsuitable extinguishing media for safety reasons:

water jet, carbon dioxide

Additional information:

If water is used, restrict pedestrian and vehicular traffic in areas where slip hazard may exist.

Safety Data Sheet

MAGNAFLOC® 455 US

Revision date : 2011/06/21

Version: 1.1

Page: 3/7

(30493021/SDS_GEN_US/EN)

Hazards during fire-fighting:

carbon oxides, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire. Very slippery when wet.

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental release measures

Personal precautions:

Use personal protective clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

Cleanup:

Spilled product which becomes wet or spilled aqueous solution create a hazard because of their slippery nature. Avoid raising dust.

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Contain with dust binding material and dispose of.

7. Handling and Storage

Handling

General advice:

Breathing must be protected when large quantities are decanted without local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Forms slippery surfaces with water.

Storage

General advice:

Store in unopened original containers in a cool and dry place. Avoid wet, damp or humid conditions, temperature extremes and ignition sources.

Storage stability:

Avoid extreme heat.

8. Exposure Controls and Personal Protection

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields.

Safety Data Sheet

MAGNAFLOC® 455 US

Revision date : 2011/06/21

Page: 4/7

Version: 1.1

(30493021/SDS_GEN_US/EN)

General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	powder	
Odour:	odourless	
Colour:	off-white	
pH value:	3.5 - 4.5	(10 g/l)
Melting point:		The substance / product decomposes therefore not determined.
Boiling point:		not applicable
Bulk density:	approx. 600 kg/m3	
Partitioning coefficient n-octanol/water (log Pow):		not applicable
% volatiles:		not determined
Solubility in water:		Forms a viscous solution.
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

10. Stability and Reactivity

Conditions to avoid:

Avoid extreme temperatures. Avoid humidity.

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions.

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

11. Toxicological information

Acute toxicity

Oral:

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg (OECD Guideline 401)

Irritation / corrosion

Skin:

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

Information on: urea

Species: rabbit

Safety Data Sheet

MAGNAFLOC® 455 US

Revision date : 2011/06/21

Page: 5/7

Version: 1.1

(30493021/SDS_GEN_US/EN)

Result: non-irritant
Method: OECD Guideline 404

Eye:
Species: rabbit
Result: non-irritant

Information on: urea
Species: rabbit
Result: non-irritant
Method: OECD Guideline 405

Information on: adipic acid
Species: rabbit
Result: Risk of serious damage to eyes.
Method: OECD Guideline 405

Other Information:

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

12. Ecological Information

Fish

Acute:
static
LC50 (96 h): 10 - 100 mg/l

Aquatic invertebrates

Acute:
EC50 (48 h): 10 - 100 mg/l

Degradability / Persistence Biological / Abiological Degradation

Evaluation: Not readily biodegradable (by OECD criteria).

Hydrolysis

In contact with water the substance will hydrolyse rapidly.

Environmental mobility:

Information on: cationic polyacrylamide
Assessment transport between environmental compartments:
Adsorption to solid soil phase is expected.

Other adverse effects:

The product has not been tested. The statement has been derived from products of a similar structure or composition.

Safety Data Sheet

MAGNAFLOC® 455 US

Revision date : 2011/06/21
Version: 1.1

Page: 6/7
(30493021/SDS_GEN_US/EN)

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations.

Container disposal:

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

RCRA:

Not a hazardous waste under RCRA (40 CFR 261).

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

VOC content:

not determined

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

OSHA hazard category:

Chronic target organ effects reported; ACGIH TLV established

EPCRA 311/312 (Hazard categories):

Not hazardous;

CERCLA RQ CAS

5000 LBS

Number

79-06-1; 124-04-9

Chemical name

acrylamide; adipic acid

State regulations

State RTK

MA, NJ, PA

CAS Number

124-04-9

Chemical name

adipic acid

CA Prop. 65:

Safety Data Sheet

MAGNAFLOC® 455 US

Revision date : 2011/06/21

Page: 7/7

Version: 1.1

(30493021/SDS_GEN_US/EN)

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

16. Other Information

NFPA Hazard codes:

Health: 2 Fire: 1 Reactivity: 0 Special:

HMIS III rating

Health: 2 Flammability: 1 Physical hazard: 0

NFPA and HMIS use a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates extreme danger. Although similar, the two rating systems are intended for different purposes, and use different criteria. The NFPA system was developed to provide an on-the-spot alert to the hazards of a material, and their severity, to emergency responders. The HMIS system was designed to communicate workplace hazard information to employees who handle hazardous chemicals.

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

MSDS Prepared by:

BASF NA Product Regulations

msds@basf.com

MSDS Prepared on: 2011/06/21

MAGNAFLOC® 455 US is a registered trademark of BASF Corporation or BASF SE. IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Due to the merger of CIBA and BASF Group all Material Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes of the Material Safety Data Sheets. In case you have questions concerning such changes please contact us at the address mentioned in Section I.

END OF DATA SHEET